

## **Laboratory Service Report**

_	_				_		
4	O	nr	)-5	2	. 4	74	$\mathbf{n}$
1	-8		1-T		-1	/ 1	

Patient Name SAMPLEREPORT,FIL8S ABNORMAL	Patient ID SA00054427	Age 42	Gender M	<b>Order #</b> SA00054427
Ordering Phys CLIENT, CLIENT		•		<b>DOB</b> 11/09/1970
Client Order # SA00054427	Account Information			Report Notes
<b>Collected</b> 03/04/2013 13:00	3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive		
<b>Printed</b> 03/18/2013 14:09	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
IL-8, Serum	Н	95.0	REPORTED 0: pg/mL	3/05/2013 11:32 <57.8	Y16

<sup>\*</sup> This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

	2		
V165	Viracor IBT Laboratories, Interface	Lab Director:	
1 103	1001 NW Technology Dr Lee's Summit. MO 64086	Lab Director.	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FIL8S ABNORMAL	03/04/2013 13:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT