

Patient Name SAMPLEREP, MPLB	Patient ID SA00054015	Age 16	Gender F	Order # SA00054015
Ordering Phys CLIENT, CLIENT				DOB 06/10/1996
Client Order # SA00054015	Account Information			Report Notes
Collected 02/18/2013 13:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 04/02/2013 10:56				

Test	Flag	Results	Unit	Reference Value	Perform Site*
MPL Exon 10 Mutation Detection, B				REPORTED 02/21/2013 11:32	
Final Diagnosis:		Peripheral blood, MPL exon 10 mutation analysis:			MCR
		Negative. No mutation was detected in MPL, exon 10.			
		Signing Pathologist: Melissa Tricker-Klar Method summary - MPL exon 10 mutation analysis: Genomic DNA was extracted and Sanger sequencing used to evaluate for mutations in MPL, exon 10 (see Mayo Medical Laboratories Interpretive Handbook for method details). The sensitivity of this assay is approximately 20%, such that samples containing lower percentages of mutated DNA will appear negative. Laboratory developed test.			

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP, MPLB	Collection Date and Time 02/18/2013 13:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT