MAYO CLINIC
Mayo Medical Laboratories

# Laboratory Service Report 1-800-533-1710

| Patient Name | Patient ID | Age | Gender | Order # |
|---|---|---|---|---|
| SAMPLEREPORT,CD4NY | SA00053494 | 46 | F | SA00053494 |
| **Ordering Phys** CLIENT,CLIENT | | | | **DOB** 06/10/1966 |
| **Client Order #** SA00053494 | **Account Information** | | | **Report Notes** |
| **Collected** 02/06/2013 13:00 | C7032851-Test Account for NY State<br>SDSC2 - Telecom<br>New York, NY 10003 | | | |
| **Printed** 04/15/2013 13:03 | | | | |

| Test | Flag | Results | Unit | Reference Value | Perform Site* |
|---|---|---|---|---|---|
| **CD4 T-Cell Count, New York** | | | REPORTED 02/07/2013 16:50 | | |
| CD45 Lymph Count, Flow | | 2.00 | thou/mcL | 0.82-2.84 | MCR |
| % CD3 (T Cells) | L | 30 | % | 58-86 | MCR |
| % CD4 (Helper Cells) | | 40 | % | 32-64 | MCR |
| % CD8 (Supp'r Cells) | | 40 | % | 13-40 | MCR |
| CD3 (T Cells) | L | 300 | cells/mcL | 550-2202 | MCR |
| CD4 (Helper Cells) | | 400 | cells/mcL | 365-1437 | MCR |
| CD8 (Supp'r Cells) | | 400 | cells/mcL | 145-846 | MCR |
| H/S Ratio | | 1.0 | | >=0.9 | MCR |
| Reviewed by | | | | | MCR |

The New York State Department of Health recommends samples be tested within 30 hours of collection. This sample exceeds that cut-off. Please consider re-drawing the specimen if clinically indicated.

Reviewed by: Naren Hulsing 2013.02.07 04:50:17
Laboratory developed test using analyte specific reagents. This test was developed, validated and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

* Performing Site:

| | | |
|---|---|---|
| MCR | Mayo Clinic Laboratories - Rochester Main Campus<br>200 First St SW Rochester, MN 55905 | Lab Director: |



* Report times for Mayo performed tests are CST/CDT