

<b>Patient Name</b> SAMPLEREPORT,TBBS	<b>Patient ID</b> SA00053443	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00053443
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00053443	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 02/05/2013 13:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 04/15/2013 12:50				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>T- and B-Cell QN by Flow Cytometry</b>					
CD45 Lymph Count, Flow	H	4.00	thou/mcL	REPORTED 02/07/2013 16:25 0.82-2.84	MCR
% CD3 (T Cells)	L	30	%	58-86	MCR
% CD19 (B Cells)	H	61	%	6-24	MCR
% CD16+CD56 (NK cells)	H	51	%	4-28	MCR
% CD4 (Helper Cells)		40	%	32-64	MCR
% CD8 (Supp'r Cells)	H	81	%	13-40	MCR
CD3 (T Cells)	L	300	cells/mcL	550-2202	MCR
CD19 (B Cells)	H	601	cells/mcL	70-409	MCR
CD16+CD56 (NK cells)		501	cells/mcL	59-513	MCR
CD4 (Helper Cells)		400	cells/mcL	365-1437	MCR
CD8 (Supp'r Cells)		801	cells/mcL	145-846	MCR
H/S Ratio		2.2		>=0.9	MCR

Laboratory developed test using analyte specific reagents. This test was developed, validated and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	-----------------------------------------------------------------------------------------	---------------

<b>Patient Name</b> SAMPLEREPORT,TBBS	<b>Collection Date and Time</b> 02/05/2013 13:00	<b>Report Status</b> Final
Page 1 of 1	** Reprinted **	** End of Report **

\* Report times for Mayo performed tests are CST/CDT