



Patient ID <b>SA00056110</b>	Patient Name <b>SAMPLEREPORT, FSALG</b>	Birth Date <b>1966-05-25</b>	Gender <b>M</b>	Age <b>46</b>
Order Number <b>SA00056110</b>	Client Order Number <b>SA00056110</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>21 Mar 2013 00:00</b>		

**Salmon IgG**



**5.0 mcg/mL**

**High**

**Y165**

**Reference Value**  
**<2**

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in

patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. \* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

**Received: 22 Mar 2013 15:46**

**Reported: 25 Mar 2013 11:59**

QA Environment

**Performing Site Legend**

Code	Laboratory	Address
Y165	Viracor-IBT Laboratories	1001 NW Technology Dr, Lee's Summit, MO 64086