

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FGARG	Patient ID SA00056090	Age 46	Gender M	Order # SA00056090	
Ordering Phys CLIENT,CLIENT		·		DOB 05/25/1966	
Client Order # SA00056090	Account Information			Report Notes	
Collected 03/22/2013 15:11	C7028846-DLMP Rock 3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 04/30/2013 12:27	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Garlic IgG	Н	5.0	REPORTED 03/mcg/mL	/25/2013 11:57 <2	Y16

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

	2		
V165	Viracor IBT Laboratories, Interface	Lab Director:	
1 103	1001 NW Technology Dr Lee's Summit. MO 64086	Lab Director.	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FGARG	03/22/2013 15:11	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT