

| | | | | |
|--|---|------------------|---------------------|------------------------------|
| Patient Name SAMPLEREP,CDROP A | Patient ID SA00055027 | Age 46 | Gender F | Order # SA00055027 |
| Ordering Phys CLIENT,CLIENT | | | | DOB 06/10/1966 |
| Client Order # SA00055027 | Account Information | | Report Notes | |
| Collected 03/12/2013 | C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901 | | | |
| Printed 04/29/2013 12:46 | | | | |

| Test | Flag | Results | Unit | Reference Value | Perform Site* |
|--|------|---------|------|---------------------------|---------------|
| Chicken Droppings, IgE | | >=100 | kU/L | REPORTED 04/17/2013 10:57 | SDL |
| Class 6 (Strongly Positive >=100) Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration. | | | | | |

* Performing Site:

| | | |
|-----|---|---------------|
| SDL | Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901 | Lab Director: |
|-----|---|---------------|

| | | |
|--|---|-------------------------------|
| Patient Name SAMPLEREP,CDROP A | Collection Date and Time 03/12/2013 | Report Status Final |
| Page 1 of 1 | ** Reprinted ** | ** End of Report ** |

* Report times for Mayo performed tests are CST/CDT