

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,CEASF N	Patient ID M0002806	Age 40	Gender F	Order # M0002806
Ordering Phys				DOB 09/28/1971
Client Order # M0002806	Account Information	n		Report Notes
Collected 07/03/2012 14:21	3050 Superior Drive	·		
Printed 05/01/2013 14:37	Rochester, MN 5590 ²	1		

| Reference | Perform | Value | Site* | | Reported | 09/13/2012 14:36 | Carcinoembryonic Ag (CEA), CSF | 0.5 | 0.5 | 0.5 | 0.6 | MCR

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the Unicel DXI 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus	Lab Director:	
MCK	200 First St SW Rochester, MN 55905	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,CEASF N	07/03/2012 14:21	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT