

<b>Patient Name</b> TEST,IMPLEMENTATION TESTING	<b>Patient ID</b> 321	<b>Age</b> 56	<b>Gender</b> F	<b>Order #</b> X100061732
<b>Ordering Phys</b> UNKNOWN,PROVIDER				<b>DOB</b> 05/23/1956
<b>Client Order #</b> X100061732	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 04/12/2013 09:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 05/08/2013 12:16				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Toxoplasma Ab, IgM, S</b>	AB	Positive		REPORTED 04/12/2013 16:12	SDL
Results suggest recent infection. FDA Public Health Advisory dated July 25, 1997 suggests positive/equivocal IgM samples be sent for confirmation to: Jack Remington, M.D. Palo Alto Medical Foundation Ames Building, Serology Dept. 795 El Camino Real Palo Alto, CA 94301 Phone: 650-853-6061; Fax: 650-329-9853 -- REFERENCE VALUE -- Negative					
Toxoplasma IgM Value		0.80	threshold		SDL
-- REFERENCE VALUE -- <0.55 (Negative) 0.55 to <0.65 (Equivocal) >=0.65 (Positive)					

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> TEST,IMPLEMENTATION TESTING	<b>Collection Date and Time</b> 04/12/2013 09:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT