

Patient Name SAMPLEREP,ANAT N	Patient ID SA00057285	Age 41	Gender U	Order # SA00057285
Ordering Phys CLIENT,CLIENT				DOB 09/28/1971
Client Order # SA00057285	Account Information			Report Notes
Collected 05/09/2013 08:46	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 05/09/2013 11:08				

Test	Flag	Results	Unit	Reference Value	Perform Site*
A-N-Acetylglucosaminidase, Fibro					
Specimen		Fibroblasts		REPORTED 05/09/2013 11:02	MCR
Reason For Referral		Not provided			MCR
A-N-Acetylglucosaminidase		0.160	U/g Prot	0.076-0.291	MCR
Interpretation		In this specimen, the activity of N-acetylglucosaminidase is within the normal range. This result indicates this individual is not affected with Sanfilippo Type B Disease. Please note that deficiency of the enzymes involved in MPS-III type A, C and D can not be ruled-out. This test is not recommended for carrier detection screening.			MCR
Colorimetric Enzyme Assay					
Reviewed By		Daniel Kraft			MCR
REPORTED 05/09/2013 11:03					
Cryopreserve for Biochem Studies					
Fibroblasts successfully cryopreserved.					MCR
REPORTED 05/09/2013 11:02					
Fibroblast Culture					
Fibroblasts successfully cultured.					MCR

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP,ANAT N	Collection Date and Time 05/09/2013 08:46	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT