

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,FER N	Patient ID SA00056627	Age 36	Gender M	Order # SA00056627
Ordering Phys CLIENT,CLIENT			•	DOB 06/10/1976
Client Order # SA00056627	Account Information			Report Notes
Collected 04/16/2013	C7028846-DLMP Roche 3050 Superior Drive	ester		
Printed 04/30/2013 12:08	Rochester, MN 55901			

				Reference	Perform
Test	Flag	Results	Unit	Value	Site*
Semen Analysis			REPORTED O	4/29/2013 14:14	
Abstinence		2.0	d	-,,	MCR
Collection Site		See Below	<u>~</u>		MCR
Result: Referring Institution	on				
Study Type		Semen			MCR
Container Type		50 mL Conical			MCR
Appearance		Normal			MCR
Semen Volume		3.0	mL	>=1.5	MCR
рН		7.2		>=7.2	MCR
Motile/mL		75.5	x10(6)	>=6.0	MCR
Sperm/mL		143.3	x10(6)	>=15.0	MCR
Motility		53	8	>=40	MCR
Grade		4.0		>=2.5	MCR
Motile/Ejaculate		226.5	x10(6)	>=9.0	MCR
Viscosity		4.0		>=3.0	MCR
Agglutination		4.0		>=3.0	MCR
Comment					MCR
If reported the enegiments	annearance	volume pH and			

If reported, the specimen's appearance, volume, pH and viscosity were provided by referring personnel.

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FER N	04/16/2013	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT