

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,SAAI A	Patient ID SA00056636	Age 36	Gender M	Order # SA00056636
Ordering Phys CLIENT,CLIENT		>		DOB 06/10/1976
Client Order # SA00056636	Account Information			Report Notes
Collected 04/16/2013	C7028846-DLMP Roches 3050 Superior Drive	ster		
Printed 04/30/2013 12:24	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Antisperm Antibody, Seminal	Plasma		REPORTED 0	4/29/2013 14:25	
Sperm Ab		Seminal Plasma			MCR
Study Type		Indirect			MCR
Head, IgA	H	55	%	0 - 49	MCR
Head, IgG	H	56	8	0 - 49	MCR
Midpiece, IgA	H	57	8	0 - 49	MCR
Midpiece, IgG	Н	58	%	0 - 49	MCR
Tail, IgA	Н	59	%	0 - 49	MCR
Tail, IgG	Н	60	%	0 - 49	MCR
Tail Tip, IgA		61	%		MCR
Tail Tip, IgG		62	%		MCR
Comment					MCR

Tail-tip binding has not been associated with reduced fertility.

Analyte Specific Reagent:

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,SAAI A	04/16/2013	Final
Page 1 of 1		** End of Report **