

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FCRAB	SA00056298	46	M	SA00056298	
Ordering Phys CLIENT,CLIENT		·	•	DOB 05/25/1966	
Client Order # SA00056298	Account Information			Report Notes	
Collected 03/28/2013	C7028846-DLMP Roch 3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 05/14/2013 10:12	Rochester, MN 55901				

	Test	Flag	Results	Unit	Reference Value	Perform Site*
Crab IgG			1.0	REPORTED 0.mcg/mL	3/29/2013 15:46 <2	Y16

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,FCRAB	03/28/2013	Final	
Page 1 of 1	** Reprinted **	** End of Report **	