

Patient Name SAMPLEREPORT,FSESG ABNORMAL	Patient ID SA00057120	Age 38	Gender M	Order # SA00057120
Ordering Phys CLIENT,CLIENT				DOB 05/16/1974
Client Order # SA00057120	Account Information			Report Notes
Collected 05/02/2013	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 05/16/2013 11:50				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Sesame Seed IgG	H	4.0	mcg/mL	<2	Y16 5

REPORTED 05/03/2013 16:32

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

Y165	Viracor IBT Laboratories, Interface 1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:
------	---	---------------

Patient Name SAMPLEREPORT,FSESG ABNORMAL	Collection Date and Time 05/02/2013	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT