

Patient Name SAMPLEREP,COBCU	Patient ID SA00055600	Age 46	Gender F	Order # SA00055600
Ordering Phys UNKNOWN,PROVIDER				DOB 06/10/1966
Client Order # SA00055600	Account Information		Report Notes	
Collected 03/14/2013 23:13	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 05/23/2013 11:19				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Cobalt/Creat Ratio, Random, U				REPORTED 05/22/2013 14:28	
Cobalt/Creat Ratio, U	H	>1301	mcg/g	0.0-1.9	SDL
Co Concentration	H	>1600	mcg/L	0.0-1.9	SDL
Creatinine Conc		123	mg/dL		MCR

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:

Patient Name SAMPLEREP,COBCU	Collection Date and Time 03/14/2013 23:13	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT