

<b>Patient Name</b> SAMPLEREPORT,DATE	<b>Patient ID</b> SA00055263	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00055263
<b>Ordering Phys</b> UNKNOWN,PROVIDER				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00055263	<b>Account Information</b>		<b>Report Notes</b>	
<b>Collected</b> 03/15/2013 02:19	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 05/23/2013 10:46				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Date, Fruit, IgE</b>		>=100		REPORTED 05/23/2013 09:48	SDL
Class 6 (Strongly Positive >=100) Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREPORT,DATE	<b>Collection Date and Time</b> 03/15/2013 02:19	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT