

<b>Patient Name</b> SAMPLEREPORT,WHEY	<b>Patient ID</b> 0000179984	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> 0000179984
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> 0000179984	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 03/15/2013 03:25	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 05/21/2013 17:04				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Whey, IgE		19.0	kU/L	REPORTED 05/21/2013 16:26	SDL
Class 4 (Strongly Positive 17.5-49.9) Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREPORT,WHEY	<b>Collection Date and Time</b> 03/15/2013 03:25	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT