

## **Laboratory Service Report**

25.0

1-800-533-1710

SDL

Patient Name	Patient ID 0000180042	Age	Gender	Order # 0000180042
SAMPLEREPORT,WMEL Ordering Phys	0000180042	46		DOB
Ordering Filys				06/10/1966
Client Order # 0000180042	Account Information			Report Notes
Collected		C7028846-DLMP Rochester		
03/15/2013 03:40		3050 Superior Drive		
<b>Printed</b> 05/21/2013 16:54	Rochester, MN 55901			

Test Flag Results Unit Value Site\*

REPORTED 05/21/2013 16:30

kU/L

Analyte Specific Reagent:

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive	Lab Director: Franklin R. Cockerill, III, M.D.
002	3050 Superior Dr. NW Rochester, MN 55901	Zao Birostori i ramami iti Goottoriii, iri, iviibi

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,WMEL	03/15/2013 03:40	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT