

## **Laboratory Service Report**

1-800-533-1710

SDL

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,GSTB	SA00055763	46	F	SA00055763	
Ordering Phys				DOB	
UNKNOWN,PROVIDER					
Client Order #	Account Information			Report Notes	
SA00055763					
Collected	C7028846-DLMP Rochester				
03/14/2013 22:38	3050 Superior Drive				
Printed	Rochester, MN 55901				
06/05/2013 08:20					

Test Flag Results Unit Reference Perform Value Site\*

Green String Bean, IgE >=100 kU/L
RECEIVED: 03/14/2013 22:38 REPORTED: 06/03/2013 15:25

Class 6 (Strongly Positive >=100)

Analyte Specific Reagent:

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,GSTB	03/14/2013 22:38	Final
Page 1 of 1	** Reprinted **	** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT