

| | | | | |
|--|---|------------------|---------------------|------------------------------|
| Patient Name SAMPLEREP,HEXAI | Patient ID 0000179955 | Age 46 | Gender F | Order # 0000179955 |
| Ordering Phys | | | | DOB 06/10/1966 |
| Client Order # 0000179955 | Account Information | | Report Notes | |
| Collected 03/14/2013 23:34 | C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901 | | | |
| Printed 06/04/2013 15:16 | | | | |

| Test | Flag | Results | Unit | Reference Value | Perform Site* |
|--|------|---------|------|-----------------|---------------|
| Hexahydroptalic Anhydride, IgE | | <0.35 | kU/L | | SDL |
| RECEIVED: 03/14/2013 23:34 REPORTED: 06/04/2013 13:45 Class 0 (Negative <0.35) Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration. | | | | | |

* Performing Site:

| | | |
|-----|---|---------------|
| SDL | Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901 | Lab Director: |
|-----|---|---------------|

| | | |
|--|---|-------------------------------|
| Patient Name SAMPLEREP,HEXAI | Collection Date and Time 03/14/2013 23:34 | Report Status Final |
| Page 1 of 1 | | ** End of Report ** |

* Report times for Mayo performed tests are CST/CDT