

<b>Patient Name</b> SAMPLEREP,SEUR	<b>Patient ID</b> 0000180040	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> 0000180040
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> 0000180040	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 03/15/2013 01:59	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 06/03/2013 14:45				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Selenium, Random, U	H	55	mcg/L	15-50	SDL
RECEIVED: 03/15/2013 01:59    REPORTED: 06/03/2013 14:16					

## \* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

<b>Patient Name</b> SAMPLEREP,SEUR	<b>Collection Date and Time</b> 03/15/2013 01:59	<b>Report Status</b> Final
Page 1 of 1	** End of Report **	

\* Report times for Mayo performed tests are CST/CDT