

Laboratory Service Report

1-800-533-1710

Patient Name TESTINGRNV,RENAL	Patient ID SA00057529	Age 63	Gender M	Order # SA00057529		
Ordering Phys CLIENT,CLIENT				DOB 02/02/1950		
Client Order # SA00057529	Account Information			Report Notes		
Collected 05/17/2013 00:00	3050 Superior Drive	· · · · · · · · · · · · · · · · · · ·				
Printed 06/18/2013 09:10	Rochester, MN 55901					

Test	Flag	Results	Unit	Reference Value	Perform Site*
Myoglobin, U RECEIVED: REPORTED: 05/17/2013 10:49		15	mcg/L	<=21	MCR

Urinary myoglobin is highly unstable unless alkalized with Na2CO3 preservative. Even with alkalization with Na2CO3, myoglobin deterioration is variable and sample dependent (approximate averages of 10% at 1 day, 20% at 3 days, and 30% at 7 days).

Analyte Specific Reagent:

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:

Patient Name	Collection Date and Time	Report Status
TESTINGRNV,RENAL	05/17/2013 00:00	Final
Page 1 of 1		** End of Report **