



| | | | | |
|---|---|---|--------------------|------------------|
| Patient ID SA00059056 | Patient Name SAMPLEREPOR, FEGYK | Birth Date 1970-11-09 | Gender M | Age 42 |
| Order Number SA00059056 | Client Order Number SA00059056 | Ordering Physician Client, Client | Report Notes | |
| Account Information C7028846 DLMP Rochester | | Collected 16 Jun 2013 19:49 | | |

Egg Yolk IgG

<2.0 mcg/mL

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be

Y165

Reference Value
<2

recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

Received: 18 Jun 2013 12:21

Reported: 18 Jun 2013 14:57

QA Environment

Performing Site Legend

| Code | Laboratory | Address |
|------|--------------------------|---|
| Y165 | Viracor-IBT Laboratories | 1001 NW Technology Dr, Lee's Summit, MO 64086 |