



Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREP, FORGG	Patient ID SA00059079	Age 42	Gender M	Order # SA00059079
Ordering Phys CLIENT, CLIENT				DOB 11/09/1970
Client Order # SA00059079	Account Information			Report Notes
Collected 06/16/2013 20:06	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 06/19/2013 10:51				

Test	Flag	Results	Unit	Reference Value
Oregano IgG		<2.0	mcg/mL	<2

RECEIVED: 06/18/2013 12:00 REPORTED: 06/18/2013 14:55

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

Y165	Viracor IBT Laboratories, Interface 1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:
------	-------------------------------------------------------------------------------------	---------------

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FORGG	06/16/2013 20:06	Final
Page 1 of 1		** End of Report

* Report times for Mayo performed tests are CST/CDT