

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT, HIV2F	Patient ID SA00059473	Age 47	Gender M	Order # SA00059473	
Ordering Phys CLIENT, CLIENT	Gridosco II d			DOB 05/25/1966	
Client Order # SA00059473	Account Information			Report Notes	
Collected 06/27/2013 00:00	C7028846-DLMP Roc 3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 06/28/2013 12:45	Rochester, MN 55901	Rochester, MN 55901			

Test Flag Results Unit Value Site*

HIV 2 Antibody, IBL

RECEIVED: 06/28/2013 08:12 REPORTED: 06/28/2013 10:24 HIV 2 Ab, Immunoblot NEGATIVE

Y03

A Negative HIV-2 antibody Immunoblot result does not exclude HIV-2 infection since the time frame for seroconversion is variable. If acute HIV-2 infection is suspected, suggest testing a new plasma sample by an amplified nucleic acid test (HIV-2 DNA/RNA, unit code 49000). Testing for HIV-1 should also be considered.

Reference range: NEGATIVE

This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Focus Diagnostics. This test should not be used for diagnosis without confirmation by other medically established means.

* Performing Site:

Y038	Focus Diagnostics, Inc. 5785 Corporate Avenue Cypress, CA 90630-4750	Lab Director:

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,HIV2F	06/27/2013 00:00	Final	
Page 1 of 1	** Reprinted **	** End of Report **	