

Patient Name SAMPLEREPORT,FEEP A	Patient ID SA00059608	Age 47	Gender F	Order # SA00059608
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00059608	Account Information		Report Notes	
Collected 07/01/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 07/02/2013 11:05				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Ferret Epithelium, IgE		>=100	kU/L		SDL
RECEIVED: 07/02/2013 09:49 REPORTED: 07/02/2013 09:49 Class 6 (Strongly Positive >=100) Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREPORT,FEEP A	Collection Date and Time 07/01/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT