

## **Laboratory Service Report**

1-800-533-1710

Patient Name SAMPLERPORT,FOGT A	Patient ID SA00059598	<b>Age</b> 47	Gender F	Order # SA00059598	
Ordering Phys CLIENT,CLIENT		·		<b>DOB</b> 06/10/1966	
Client Order # SA00059598	Account Information			Report Notes	
<b>Collected</b> 06/30/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive				
<b>Printed</b> 07/02/2013 11:10	Rochester, MN 55901				

Reference Perform Test Flag Results Unit Value Site\*

False Oatgrass, IgE >=100 kU/L SDL

**RECEIVED:** 07/02/2013 09:52 **REPORTED:** 07/02/2013 09:52

Class 6 (Strongly Positive >=100)

Analyte Specific Reagent:
This test was developed and its performance

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

Patient Name	Collection Date and Time	Report Status
SAMPLERPORT,FOGT A	06/30/2013 00:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT