

<b>Patient Name</b> SAMPLEREP,FOOD2 N	<b>Patient ID</b> SA00059660	<b>Age</b> 47	<b>Gender</b> F	<b>Order #</b> SA00059660
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00059660	<b>Account Information</b>		<b>Report Notes</b>	
<b>Collected</b> 07/01/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 07/02/2013 14:46				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Food-Fruit Panel</b>		<0.35	kU/L		SDL
<b>RECEIVED:</b> 07/02/2013 13:38 <b>REPORTED:</b> 07/02/2013 13:38					
Class 0 (Negative <0.35)					
Food - Fruit Panel:					
Apple					
Banana					
Pear					
Peach					
Analyte Specific Reagent:					
This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP,FOOD2 N	<b>Collection Date and Time</b> 07/01/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT