

## **Laboratory Service Report**

1-800-533-1710

Patient Name SAMPLEREPORT,FRMH A	Patient ID SA00059676	<b>Age</b> 47	Gender F	Order # SA00059676	
Ordering Phys CLIENT, CLIENT				<b>DOB</b> 06/10/1966	
Client Order # SA00059676	Account Information			Report Notes	
<b>Collected</b> 07/01/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive				
<b>Printed</b> 07/02/2013 14:38	Rochester, MN 55901				

Reference Perform Test Flag Results Unit Value Site\*

Formaldehyde, IgE >=100 kU/L SDL

**RECEIVED:** 07/02/2013 13:59 **REPORTED:** 07/02/2013 13:59

Class 6 (Strongly Positive >=100)
Analyte Specific Reagent:

This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

SDL Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester. MN 55901 Lab Director: Franklin R. Cockerill, III, M.D.	
---	--

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FRMH A	07/01/2013 00:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT