

<b>Patient Name</b> SAMPLEREPORT,RTRPP N	<b>Patient ID</b> SA00059544	<b>Age</b> 47	<b>Gender</b> F	<b>Order #</b> SA00059544
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00059544	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 06/27/2013 00:01	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 07/02/2013 08:55				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Tubular Phosp Reabsorption, Random</b>					
<b>RECEIVED:</b> 06/28/2013 16:30 <b>REPORTED:</b> 07/01/2013 12:35					
Tubular Phosp Reabsorption, Random					
TRP		83.3	%	>80.0	MCR
Random TmP/GFR		3.5	mg/dL	2.6 - 4.4	MCR
Creatinine Conc		50	mg/dL		MCR
Phosphorus (Inorganic), S		4.2	mg/dL	2.5 - 4.5	MCR
Creatinine, S		1.0	mg/dL	0.6 - 1.1	MCR

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	-----------------------------------------------------------------------------------------	---------------

<b>Patient Name</b> SAMPLEREPORT,RTRPP N	<b>Collection Date and Time</b> 06/27/2013 00:01	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT