

Patient Name SAMPLEREP,PCPU	Patient ID SA00059709	Age 47	Gender F	Order # SA00059709
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00059709	Account Information			Report Notes
Collected 07/03/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 07/05/2013 13:08				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Adulterants Survey, U					
RECEIVED: 07/05/2013 12:55 REPORTED: 07/05/2013 12:59					
Creatinine, U		40.0	mg/dL		MCR
Specific Gravity		1.006			MCR
pH		<3.0			MCR
Abnormally low pH.					
Suspect Specimen Adulteration.					
Oxidants		Negative			MCR
Phencyclidine Confirmation, U					
RECEIVED: 07/05/2013 12:55 REPORTED: 07/05/2013 12:58					
Immunoassay Screen		Negative		Cutoff: 25	MCR
Phencyclidine-by GC/MS		Negative	ng/mL	Cutoff: 10	MCR
Interpretation		Negative.			MCR
This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.					

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

Patient Name SAMPLEREP,PCPU	Collection Date and Time 07/03/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT