

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,F8INH	SA00059860	47	F	SA00059860	
Ordering Phys CLIENT,CLIENT				<b>DOB</b> 06/10/1966	
Client Order # SA00059860	Account Information			Report Notes	
<b>Collected</b> 07/11/2013 00:00	C7028846-DLMP Roch 3050 Superior Drive	nester			
<b>Printed</b> 07/12/2013 09:15	Rochester, MN 55901				

Test Flag Re	sults	Unit	Reference Value	Perform Site*
Factor 8 Inhib Prof	0.45			
<b>RECEIVED:</b> 07/12/2013 08:47 <b>REPORTED:</b> 07/12/2013 0	8:47			
Coag Factor VIII Activity Assay, P 75	:	%	55 - 200	MCR
Normal (or elevated) factor VIII coagulant	activity.			
Therefore, factor VIII inhibitor screening	and titering			
were not performed, as a specific inhibito	or would almost			
certainly not be detectable. CONCLUSION:	No evidence			
of a specific inhibitor of coagulation fac	tor VIII.			

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,F8INH	07/11/2013 00:00	Final
Page 1 of 1		** End of Report **