

Patient Name SAMPLEREP,PHESP A	Patient ID SA00059992	Age 47	Gender F	Order # SA00059992
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00059992	Account Information		Report Notes	
Collected 07/17/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 07/18/2013 11:27				

Test	Flag	Results	Unit	Reference Value	Perform Site*
HBs Antigen Confirmation, S	AB	Positive		Negative	SDL
RECEIVED: 07/18/2013 11:20 REPORTED: 07/18/2013 11:23 Reportable Disease HBsAg screen was confirmed by neutralization.					

Previous Hepatitis Exposure Profile

RECEIVED: 07/18/2013 11:20 REPORTED: 07/18/2013 11:23					
HBs Antigen, S	AB	Reactive		Negative	SDL
HBsAg screen is reactive. S/CO ratio is >=1 but <=50. Confirmatory test is required.					
HBs Antibody, S		Positive			SDL
Patient is considered to be immune to infection with HBV. -- REFERENCE VALUE -- Unvaccinated: Negative Vaccinated: Positive					
HBs Antibody, Quantitative, S		13.6	mIU/mL		SDL
-- REFERENCE VALUE -- Unvaccinated: <5.0 Vaccinated: >=12.0					
HBc Total Ab, S	AB	Positive		Negative	SDL
If clinically indicated, testing for Hepatitis B Core IgM antibody is necessary to differentiate between acute and past HBV infection.					
Hepatitis A Total Ab, S	AB	Positive		Negative	SDL
HCV Ab Screen, S	AB	Reactive		Negative	SDL
Supplemental testing for HCV RNA is recommended to rule out active HCV infection. Signal-to-cutoff ratio is >=1.00 and <8.00.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP,PHESP A	Collection Date and Time 07/17/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT