

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name SAMPLEREPORT,FBARS ABNORMAL	Patient ID SA00060230	Age 26	Gender M	<b>Order #</b> SA00060230
Ordering Phys CLIENT,CLIENT				<b>DOB</b> 07/07/1987
Client Order # SA00060230	Account Information			Report Notes
<b>Collected</b> 07/23/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 07/29/2013 13:38	Rochester, MN 55901			

Test	Flag Results	Unit	Reference Value	Perform Site*
Barium, Serum RECEIVED: 07/24/2013 09:18 Barium	<b>REPORTED:</b> 07/24/2013 13:29 20.0	ng/ml		¥07 2

Reference range has not been established.

Barium analysis performed by inductively coupled plasma / mass spectrometry (ICP/MS).

## \* Performing Site:

	2		
Y072	Medtox Laboratories, Inc.	Lab Director:	
1072	402 W. County Road D St. Paul, MN 55112	Lab Director.	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT, FBARS ABNORMAL	07/23/2013 00:00	Final
Page 1 of 1		** End of Report **