

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,VWPR A	Patient ID SA00060358	Age 47	Gender F	Order # SA00060358		
Ordering Phys CLIENT,CLIENT			•	DOB 06/10/1966		
Client Order # SA00060358	Account Information			Report Notes		
Collected 07/25/2013 00:00	C7028846-DLMP Roch 3050 Superior Drive	nester				
Printed 07/30/2013 08:44	Rochester, MN 55901	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Special Coagulation Interpretation RECEIVED: REPORTED: 07/29/2013		Performed			MCR
Coag Factor VIII Assay Inhib Scrn, RECEIVED: 07/29/2013 14:16 REPORT		Negative 13 08:42		Negative	MCR
Bethesda Units RECEIVED: 07/29/2013 14:16 REPORT	ED: 07/30/20	<1 13 08:42		0	MCR
Ristocetin Cofactor, P RECEIVED: 07/29/2013 14:16 REPORT	L ED: 07/30/20	25 13 08:42	8	55-200	MCR
von Willebrand Factor Multimer, P RECEIVED: 07/29/2013 14:16 REPORT Plasma von Willebrand fact distributed, and VWF antig consistent with type 1 von Analyte Specific Reagent: performance characteristic has not been cleared or ap Administration.	or (VWF) mul en appears t Willebrand' This test wa s determined	timers are norms o be decreased, s disease. s developed and by Mayo Clinic	its . It		MCR
von Willebrand Prof RECEIVED: 07/29/2013 08:06 REPORT	ED: 07/30/20	13 08:40			
Coag Factor VIII Activity Assay,	P L	25	%	55 - 200	MCR
von Willebrand Factor Ag, P	L	25	%	55 - 200	MCR
von Willebrand Factor Activity,	P L	25	%	55 - 200	MCR
Interpretation This is where the consulta Reviewed by:	nts interpre	tation would go J. A. Heit, M.			MCR MCR
reatement by.		o. A. Heit, M.	υ.		IICK

* Performing Site:

MCR 200 First St SW Rochester, MN 55905 Lab Director: Franklin R. Cockerili, III, M.D.	MCR	Mayo Clinic Laboratories - Rochester Main Campus	Lab Director: Franklin R. Cockerill, III, M.D.
--	-----	--	--

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,VWPR A	07/25/2013 00:00	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT