

## **Laboratory Service Report**

1-800-533-1710

Negative

Negative

SDL

SDL

Patient Name SAMPLEREPORT,WNV A	Patient ID SA00059977	<b>Age</b> 47	Gender F	<b>Order #</b> SA00059977	
Ordering Phys CLIENT,CLIENT		·		<b>DOB</b> 06/10/1966	
Client Order # SA00059977	Account Information			Report Notes	
<b>Collected</b> 07/17/2013 00:00	3050 Superior Drive				
<b>Printed</b> 07/18/2013 10:44	Rochester, MN 55901				

Test	Flag Results	Unit	Reference Value	Perform Site*
West Nile Virus Ab, IgG and RECEIVED: 07/18/2013 10:30				

West Nile Virus Ab, IgG, S Positive West Nile Virus Ab, IgM, S AB Positive

Results suggest recent infection. SEMI-URGENT RESULT Some states may require follow up testing for patients testing positive for antibody to West Nile virus. Please consult your state department of health.

## \* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT.WNV A	07/17/2013 00:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT