

<b>Patient Name</b> SAMPLEREP,TCGBM N	<b>Patient ID</b> SA00060531	<b>Age</b> 47	<b>Gender</b> F	<b>Order #</b> SA00060531
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00060531	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 08/01/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 08/05/2013 10:27				

Test	Flag	Results	Unit	Reference Value	Perform Site*
------	------	---------	------	-----------------	---------------

**T Cell Receptor Gene Rearrange, BM**
**RECEIVED:** 08/02/2013 12:12 **REPORTED:** 08/02/2013 13:26

Final Diagnosis:

MCR

Bone marrow, T-cell receptor gene rearrangement analysis:

Negative. No clonal T-cell receptor gene rearrangement was detected.

 Method summary - T-cell receptor gene rearrangement:  
 Genomic DNA was extracted and a PCR-based assay performed using primers that bind the gamma and beta chain genes (see Mayo Medical Laboratories Interpretive Handbook for method details).

 Signing Pathologist: Melissa Tricker-Klar  
 Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP,TCGBM N	<b>Collection Date and Time</b> 08/01/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT