

<b>Patient Name</b> SAMPLEREPORT,VCRU	<b>Patient ID</b> 0000180106	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> 0000180106
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> 0000180106	<b>Account Information</b>		<b>Report Notes</b>	
<b>Collected</b> 03/15/2013 01:56	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 07/31/2013 12:54				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Vanadium/Creat Ratio, Random, U</b>					
RECEIVED:      REPORTED: 04/17/2013 16:19					
Vanadium/Creat Ratio, U		Not Detected	mcg/g	0.0-0.8	SDL
V Concentration		<0.1	mcg/L	0.0-0.8	SDL
Creatinine Conc		<2	mg/dL		MCR

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:

<b>Patient Name</b> SAMPLEREPORT,VCRU	<b>Collection Date and Time</b> 03/15/2013 01:56	<b>Report Status</b> Final
Page 1 of 1	** Reprinted **	** End of Report **

\* Report times for Mayo performed tests are CST/CDT