



Patient ID <b>SA00060698</b>	Patient Name <b>SAMPLEREPORT, FSYG4 NORMAL</b>	Birth Date <b>1970-11-09</b>	Gender <b>M</b>	Age <b>42</b>
Order Number <b>SA00060698</b>	Client Order Number <b>SA00060698</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>13 Aug 2013 13:00</b>		

**Soybean IgG4**

**0.00 mcg/mL**

**Y165**  
**Reference Value**  
**<0.15**

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and

to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization to the food allergen in question. \*This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration.

**Received:** 14 Aug 2013 11:18

**Reported:** 15 Aug 2013 10:02

QA Environment

**Performing Site Legend**

Code	Laboratory	Address
Y165	Viracor-IBT Laboratories	1001 NW Technology Dr, Lee's Summit, MO 64086