MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FFUNG NORMAL	SA00062456	42	M	SA00062456
Ordering Phys CLIENT,CLIENT				**DOB** 11/09/1970
Client Order # SA00062456	**Account Information**			**Report Notes**
Collected 09/17/2013 13:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 09/18/2013 11:14				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Fungitell Assay		50	pg/mL		Y013

RECEIVED: 09/18/2013 09:14 **REPORTED:** 09/18/2013 09:15

```
-- REFERENCE VALUE --
Negative:
  Less than 60
Indeterminate:
  60-79
Positive:
  Greater than or equal to 80
Note:  The Fungitell assay is indicated for presumptive
diagnosis of fungal infection. It should be used in
conjunction with other diagnostic procedures. The Fungitell
assay does not detect certain fungal species such as the
genus Cryptococcus, which produces very low levels of
(1-3)-B-D-Glucan. This assay also does not detect the
Zygomycetes, such as Absidia, Mucor, and Rhizopus which
are not known to produce (1-3)-B-D-Glucan.

Serum glucan concentrations greater than or equal to
80 pg/mL are interpreted as a positive result. A positive
result means that (1-3)-B-D-Glucan was detected in the
serum sample submitted. A positive result does not define
the presence of disease and should always be used in
conjunction with other clinical findings to establish a
diagnosis.

The Fungitell assay detects (1-3)-B-D-Glucan regardless of
its origin. Therapeutic interventions should be evaluated
for their potential to contribute to serum burdens of
(1-3)-B-D-Glucan. Special care should be taken in patient
sample handling so as to avoid the introduction of
contaminant (1-3)-B-D-Glucan. The presence in a patient
sample of (1-3)-B-D-Glucan from a source other than fungal
infection could cause a positive assay result that is
inconsistent with the patient's clinical condition.
```

* Performing Site:

Y013	Beacon Diagnostics Laboratory A Division of Assoc. of Cape Cod, Inc. 124 Bernard E. Saint Jean Drive East Falmouth, MA 02536-4445	Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FFUNG NORMAL	09/17/2013 13:00	Final
		** End of Report **

* Report times for Mayo performed tests are CST/CDT