

<b>Patient Name</b> SAMPLEREP,HPYM_NORM	<b>Patient ID</b> SA00062744	<b>Age</b> 29	<b>Gender</b> M	<b>Order #</b> SA00062744
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 05/05/1984
<b>Client Order #</b> SA00062744	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 09/24/2013 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support			
<b>Printed</b> 09/30/2013 09:12	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Helicobacter pylori Ab, IgM, S</b>		Negative		Negative	SDL
RECEIVED: 09/24/2013 14:14	REPORTED: 09/24/2013 14:28				
Index Value		10.00			SDL
Results with Index Values of <36.00 are negative.					

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP,HPYM_NORM	<b>Collection Date and Time</b> 09/24/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT