

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,TTIG NORM	Patient ID SA00062748	Age 29	Gender M	Order # SA00062748
Ordering Phys CLIENT,CLIENT		•		DOB 05/05/1984
Client Order # SA00062748	Account Information			Report Notes
Collected 09/24/2013 00:00	C7028846-DLMP Rochesto SDSC 2 - Client Support	er		
Printed 09/30/2013 09:05	Rochester, MN 55901			

Test Flag Results Unit Reference Perform Value Site*

Tetanus Toxoid IgG Ab, S <0.01 RECEIVED: 09/24/2013 14:14 REPORTED: 09/24/2013 14:29

The minimum level of protective antibody in the normal population is between 0.01 and 0.15 IU/mL. The majority of vaccinated individuals should demonstrate protective levels of antibody > 0.15 IU/mL.

* Performing Site:

SDL Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901 Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name SAMPLEREPORT,TTIG_NORM	Collection Date and Time 09/24/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **