

<b>Patient Name</b> TESTINGRNV,RUO	<b>Patient ID</b> SA00062539	<b>Age</b> 45	<b>Gender</b> F	<b>Order #</b> SA00062539
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 10/21/1967
<b>Client Order #</b> SA00062539	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 09/18/2013 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
<b>Printed</b> 09/26/2013 14:01				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>ADAMTS13 Activity and Inhibitor Profile</b>					
RECEIVED: 09/19/2013 15:06    REPORTED: 09/19/2013 15:22					
ADAMTS13 Activity Assay		95	%	>/=70	MCR
ADAMTS13 Interpretation		<p>No laboratory evidence of ADAMTS13 deficiency. A normal ADAMTS13 activity level does not completely exclude a clinical diagnosis of thrombotic thrombocytopenic purpura (TTP). Recommend clinical correlation.</p> <p>Non-specific substrate proteolysis by other plasma proteases or recent plasma transfusion or exchange may falsely raise ADAMTS13 activity. Markedly elevated endogenous von Willebrand factor (VWF), hyperlipidemia, hemolysis with plasma free hemoglobin greater than 2mg/dL, hyperbilirubinemia (greater than 6mg/dL) may falsely lower ADAMTS13 activity</p>			MCR
<b>ADAMTS13 Inhibitor Bethesda Titer</b>		<0.4		<0.4	MCR
RECEIVED: 09/19/2013 15:24    REPORTED: 09/19/2013 15:29					
<b>ADAMTS13 Inhibitor Screen</b>		Negative		Negative	MCR
RECEIVED: 09/19/2013 15:24    REPORTED: 09/19/2013 15:28					
<b>PAI-1 Ag, P</b>		50	ng/mL	3-72	MCR
RECEIVED: 09/19/2013 15:06    REPORTED: 09/19/2013 15:22					
The plasma PAI-1 antigen normal range is based on fasting morning samples in adults. PAI-1 levels follow a diurnal variation, with peak levels occurring in the early morning and nadir levels in the afternoon.					
<b>Soluble Fibrin Monomer</b>		<8	mcg/mL	0.0 - 7.9	MCR
RECEIVED: 09/19/2013 15:06    REPORTED: 09/19/2013 15:06					

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> TESTINGRNV,RUO	<b>Collection Date and Time</b> 09/18/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT