



Patient ID <b>SA00062821</b>	Patient Name <b>SAMPLEREPORT, FC4A ABNORMAL</b>	Birth Date <b>1970-11-09</b>	Gender <b>M</b>	Age <b>42</b>
Order Number <b>SA00062821</b>	Client Order Number <b>SA00062821</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>26 Sep 2013 13:00</b>		

**C4a Level**



**5280 ng/mL**

**Y081**


**Reference Value**  
0-2830

**ADDITIONAL INFORMATION**

This test uses a kit/reagent designated by the manufacturer as "for research use, not for clinical use." The performance characteristics for this test have been validated by Advanced Diagnostic Laboratories at National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

**Received:** 27 Sep 2013 11:39

**Reported:** 27 Sep 2013 11:53



**Performing Site Legend**

Code	Laboratory	Address
Y081	National Jewish Health	Advanced Diagnostic Laboratories, 1400 Jackson Street, Denver, CO 80206