

<b>Patient Name</b> SAMPLEREP, GLIC	<b>Patient ID</b> SA00057321	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00057321
<b>Ordering Phys</b> CLIENT, CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00057321	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 05/08/2013 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
<b>Printed</b> 10/03/2013 15:46				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>CD8 Immune Competence, B</b>					
<b>RECEIVED:</b> 05/09/2013 15:26 <b>REPORTED:</b> 10/03/2013 13:34					
IFN-g		15.8	% CD8 T-Cells	10.3-56.0	MCR
CD107a/b		29.7	% CD8 T-Cells	8.5-49.1	MCR
<b>Interpretation</b> Normal global CD8 T cell functional immune competence (measurement of IFN-gamma as a marker of T cell activation, and expression of CD107a/b, cellular degranulation marker) after stimulation with mitogen - PMA and ionomycin. CD107a and CD107b are markers of cellular degranulation and surrogate markers for cytotoxic function. Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP, GLIC	<b>Collection Date and Time</b> 05/08/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT