

Laboratory Service Report

			_	_	_	_	_	_	-
ın	71	:_1	3	.3	-5	M	П	-8	1
	′'	-1	3	3	-5	W	u	-გ	7

Patient Name SAMPLEREPORT,FACEC NORMAL	Patient ID SA00064079	Age 57	Gender F	Order # SA00064079
Ordering Phys CLIENT,CLIENT				DOB 10/21/1956
Client Order # SA00064079	Account Information			Report Notes
Collected 11/04/2013 00:00	C7028846-DLMP Rochesto SDSC 2 - Client Support	er		
Printed 11/18/2013 11:00	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Angiotensin Convert Enzyme CSF		2.4	U/L	0.0-2.5	Y00 6

RECEIVED: 11/05/2013 13:17 **REPORTED:** 11/05/2013 13:36

This test was developed and its performance characteristics determined by ARUP Laboratories. The U.S. Food and Drug Administration has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions.

* Performing Site:

	3		
Y006	ARUP Laboratories	Lab Director:	
1000	500 Chipeta Way Salt Lake City, UT 84108		

Patient Name SAMPLEREPORT, FACEC NORMAL	Collection Date and Time 11/04/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT