

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender		
SAMPLEREPORT,FBOMB	SA00064587	49	M	SA00064587	
Ordering Phys CLIENT,CLIENT				DOB 06/27/1964	
Client Order # SA00064587	Account Information			Report Notes	
Collected 11/20/2013 06:00	SDSC 2 - Client Suppo	C7028846-DLMP Rochester SDSC 2 - Client Support			
Printed 11/21/2013 09:39	Rochester, MN 55901				

Test	Flag Results	Unit	Reference Value	Perform Site*
Bombesin (Plasma) RECEIVED: 11/20/2013 12:32 Bombesin, (Plasma)	REPORTED: 11/20/2013 13:23 L 44	pg/mL	50-250	Y05

This test was developed and its performance characteristics determined by Inter Science Institute. It has not been cleared or approved by the US Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary.

* Performing Site:

V051	Inter Science Institute	Lab Directory	
Y051	944 West Hyde Park Inglewood, CA 90302	Lab Director:	

Patient Name SAMPLEREPORT.FBOMB	Collection Date and Time	Report Status Final
Page 1 of 1	11/20/2010 00:00	** End of Report **