

<b>Patient Name</b> SAMPLEREPORT,FCCK	<b>Patient ID</b> SA00064596	<b>Age</b> 49	<b>Gender</b> M	<b>Order #</b> SA00064596
<b>Ordering Phys</b> CLIENT,CLIENT			<b>DOB</b> 06/27/1964	
<b>Client Order #</b> SA00064596	<b>Account Information</b> C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			<b>Report Notes</b>
<b>Collected</b> 11/20/2013 06:00				
<b>Printed</b> 11/21/2013 09:23				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Cholecystokinin (CCK)		404	pg/mL	Up to 80	Y05 1

RECEIVED: 11/20/2013 12:34 REPORTED: 11/20/2013 15:18

This test was developed and its performance characteristics determined by Inter Science Institute. It has not been cleared or approved by the US Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary.

\* Performing Site:

Y051	Inter Science Institute 944 West Hyde Park Inglewood, CA 90302	Lab Director:
------	---	---------------

<b>Patient Name</b> SAMPLEREPORT,FCCK	<b>Collection Date and Time</b> 11/20/2013 06:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT