

<b>Patient Name</b> SAMPLEREP,FSUP A	<b>Patient ID</b> SA00064647	<b>Age</b> 67	<b>Gender</b> F	<b>Order #</b> SA00064647
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/10/1946
<b>Client Order #</b> SA00064647	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 11/20/2013 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
<b>Printed</b> 11/21/2013 14:57				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Substance P	H	299	pg/mL	0-270	Y01 7

RECEIVED: 11/21/2013 14:45 REPORTED: 11/21/2013 14:46

The performance characteristics of the listed assays were validated by Cambridge Biomedical Inc. The US FDA has not approved or cleared this test. The results of these assays can be used for clinical diagnosis without FDA approval. Cambridge Biomedical Inc. is a CLIA certified, CAP accredited laboratory for performing high complexity assays.

\* Performing Site:

Y017	Cambridge Biomedical Inc. 1320 Soldiers Field Road Boston, MA 02135	Lab Director:
------	--	---------------

<b>Patient Name</b> SAMPLEREP,FSUP A	<b>Collection Date and Time</b> 11/20/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT