

<b>Patient Name</b> SAMPLEREPORT,LHSVZ	<b>Patient ID</b> SA00064670	<b>Age</b> 33	<b>Gender</b> M	<b>Order #</b> SA00064670
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 10/10/1980
<b>Client Order #</b> SA00064670	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 11/22/2013 08:05	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
<b>Printed</b> 12/17/2013 09:02				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>HSV and VZV, PCR</b>					
<b>RECEIVED:</b> 11/22/2013 08:29 <b>REPORTED:</b> 11/22/2013 08:52					
Herpes Simplex Virus PCR					
Specimen Source		ARM			MCR
HSV 1, PCR		Negative		Negative	MCR
HSV 2, PCR		Negative		Negative	MCR
Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					
Varicella-Zoster Virus PCR					
Specimen Source		ARM			MCR
Varicella-Zoster Virus PCR		Negative		Negative	MCR
Laboratory developed test.					

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREPORT,LHSVZ	<b>Collection Date and Time</b> 11/22/2013 08:05	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT